
MAX® and Keystone Faceplates

The MAX series modular faceplates combine high capacity with aesthetic enhancements that provide a fresh new look to match today's technologies. The faceplate offers pressure-release designation label covers which eliminate the need for a probe-pic or screwdriver when installing faceplate labels. The faceplates are designed to be used with the angled or flat MAX modules, hybrid Z-MAX® outlets or TERA® outlets. Its durable finish masks minor scuffs that may occur during daily usage. The single gang faceplate can support up to six outlets and the double gang can support up to twelve outlets. Single-gang keystone faceplates are available in select colors and stainless steel. These faceplates are compatible with keystone MAX and Z-MAX outlets.





Installation Flexibility MAX, Z-MAX or TERA outlets can be installed from front or rear of faceplate.



Superior Density Fits up to 6 outlets in a single gang or 12 in a double gang faceplate.



Labeling Faceplates include pressurerelease designation label covers for quick, tool-less removal.



Product Information

10G MAX® Faceplates


10G MAX Faceplates are required for Z-MAX 6A UTP installations. Isolated port spacing ensures proper Alien Crosstalk performance. Faceplates include designation labels, clear label covers, and mounting screws.



Add "B" to end of part number for bulk project pack of 100 faceplates.

MAX Faceplates

Faceplates include designation labels, clear label covers, and mounting screws.




Add "B" to end of part number for bulk project pack of 100 faceplates.*

* Black and gray color options and bulk project packs available for single gang faceplates only.


MAX Stainless Steel Faceplates

Single and double gang stainless steel MAX faceplates for use with flat and angled MAX, hybrid Z-MAX or TERA outlets. Brushed finish on plates mask minor scratches and scuffs that may occur during day-to-day usage.



Keystone Faceplates

Single-gang plastic and stainless steel faceplates for use with keystone Z-MAX and MAX connectivity. Faceplates sold with mounting screws, label and label holder.





KBL-02 Keystone Blank, White KBL-20 Keystone Blank, Ivory






Product Information

10G MAX Horizonal Faceplates

Siemon's 10G single gang horizontal faceplate for Z-MAX $^{\!\! \otimes},$ TERA or MAX modules



Add "B" to end of part number for bulk project pack of 100 faceplates.

MAX Horizonal Faceplates

Siemon's single gang horizontal faceplate for Z-MAX, TERA or MAX modules

MX-HFP-(X	X)-(XX)
Ports	Faceplate Color
01 = 1 Port 02 = 2 Ports 03 = 3 Ports	02 = White 20 = Ivory 80 = Light Ivory
04 = 4 Ports	



Note: Screws, designation label and clear label cover included.

Universal Modular Furniture Adapter

Part Number Description

CT-UMA-(XX) CT[®] Universal Modular Furniture Adapter, Accepts (1) CT Coupler. Includes faceplate, mounting frame, label and clear label holder

Use (XX) to specify color: 01 = black, 02 = white, 04 = gray, 20 = ivory, 80 = light ivory



Part Number Description


MX-UMA-(XX)......MAX Universal Modular Furniture Adapter, Accepts (4) MAX[®], Z-MAX[®] or TERA[®] outlets. Includes faceplate, mounting frame, label

and clear label holder



MAX[®] Modular Furniture Adapter

The MAX modular furniture adapters will accept four Z-MAX hybrid outlets, MAX angled or flat modules and snaps directly into communication outlet openings* in most major modular furniture systems. Adapters include designation label and clear label cover to allow for circuit identification.





Product Information

MAX Tamper-Proof Faceplate

Siemon's tamper-proof MAX faceplates provide a secure, low profile solution for mounting our complete line of MAX modules. The design features a one-piece base which accepts up to six angled MAX modules and is secured by a solid cover and a choice of tamper-proof star or standard slotted head screw. The base mounts to any standard North American single gang box.

Part Number Description

MX-TFP-S-06-(XX) ... 6-port single gang, tamper-proof faceplate for angled MAX modules

Use (XX) to specify color: 02 = white, 80 = light ivory

Faceplates include tamper-proof and standard #6-32x1 mounting screws and color-matching screw cover. Note: Tamperproof faceplate is not compatible with Z-MAX® or TERA® outlets.



Wall Phone Faceplates

Part Number Description

WPJP Plastic Wall Phone Faceplate with

TE 10

Part Number Description

MX-WP-(XX)-SS MAX Series Stainless Steel Wall Phone Faceplate with keystone module included



Use (XX) to specify included module: Z6 = category 6, Z-MAX, UTP, T568A/B Z6A = category 6A, Z-MAX, UTP, T568A/B Z6AS = category 6A, Z-MAX, Shielded, T568A/B K6 = category 6, MAX, UTP, T568A/B K5 = category 5e, MAX, UTP, T568A/B

MAX[®] Duplex and Designer Faceplates

The MAX Duplex and Designer faceplates are designed for use with Siemon's MAX series mounting frames. They are ideal for today's small office, home office, or residential environment. Faceplates include designation labels and color-matching label covers for circuit identification.





2-pair, 6-position USOC jack

Use (XX) to specify color: 02 = white, 20 = ivory, 25= bright white, 80 = light ivory

DP-S-(XX)..... Single gang, Duplex faceplate

DR-S-(XX)..... Single gang, Designer faceplate

Q
e .





DR-D-(XX)..... Double gang Designer faceplate





MAX Mounting Frames

Siemon's MAX mounting frames provide a solution for installing MAX, Z-MAX® or TERA outlets in an environment where electrical Duplex or Designer style faceplates are desired. They are compatible with any Duplex or Designer style faceplate. The mounting ears can also be detached and used as spacers between the frames and mounting boxes.

Designer Mounting Frames



MX-D1Z-(XX) Designer mounting frame, accepts one MAX or Z-MAX outlets

Duplex Mounting Frames



MX-E2F-(XX) Duplex mounting frame, accepts two flat MAX or Z-MAX outlets



MX-E2A-(XX).....

Duplex mounting

two angled MAX

or Z-MAX outlets

frame, accepts



MX-D4Z-(XX) Designer mounting frame, accepts four MAX or Z-MAX outlets

MX-E4F-(XX)

Duplex mounting

frame, accepts

four flat MAX or

Z-MAX outlets



MX-D6F-(XX) Designer mounting frame, accepts six flat MAX or Z-MAX outlets



MX-E4A-(XX) Duplex mounting frame, accepts four angled MAX outlets







MX-D4F-15-(XX) 4-port MAX mounting frame with HD15 female-female adapter installed

MX-D4F-15E-(XX) 4-port MAX mounting frame, HD15 cut-out, empty

Use (XX) to specify color: 02 = white, 04 = gray, 20 = ivory, 25 = bright white, 80 = light ivory

SS_Copper_MAXandKeystoneFaceplates_US_RevC

Because we continuously improve our products, Siemon reserves the right to change specifications and availability without prior notice.

North America	
P: (1) 860 945 4200	

Asia Pacific P: (61) 2 8977 7500 Latin America P: (571) 657 1950/51/52

Europe P: (44) 0 1932 571771

China P: (86) 215385 0303

India, Middle East & Africa P: (971) 4 3689743

Siemon Interconnect Solutions P: (1) 860 945 4213 www.siemon.com/SIS

