

# Surface Mount Boxes

Surface mount boxes feature a sleek compact, easy-to-install design for housing UTP, shielded, fiber, video, and coax MAX<sup>®</sup> modules, Z-MAX<sup>®</sup> or TERA<sup>®</sup> outlets, which can be quickly installed into the base. The MX-SM Surface Mount Box accommodates flat MAX UTP outlets, while the Z-MAX Surface Mount Box should be used for Z-MAX, TERA, MAX LC and MAX A/V outlets. Multiple cable management features provide a high performance and well organized installation. Keystone Surface Mount Boxes compatible with MAX and Z-MAX keystone outlets are available.

**Cable/Raceway Entry**  
Breakouts on three sides and bottom

**Label Cover**  
Conceals screw for added security if desired

**Compliant**  
Is compliant with UL2043 and is appropriate for use in air handling spaces

**Snap-on Cover with Designation Areas**  
For colour-coded icons/tabs and write-on labels

**Cable Management**  
Built-in cable management features ensure proper bend radius for copper or fiber

**Cable Tie Anchor Points**  
Facilitates strain relief for cable

**Bezels Included**  
Allows flat MAX, hybrid Z-MAX, TERA and keystone outlets and modules to secure in place.

**Optional Spring-loaded Shutter Doors**  
Shutter doors offer added protection from dust and other contaminants



## Optional Colors

Available in select colors such as black, white, ivory and light ivory. See color options in ordering information for each family of Surface Mount Boxes

# Ordering Information

## Z-MAX Surface Mount Boxes

For use with Z-MAX shielded and unshielded hybrid outlets, flat MAX LC modules, flat MAX A/V adapters and TERA outlets.

MX-SMZ(X)-(XX)-(X) ----- Z-MAX surface mount box with cover base, multimedia bezel, cable ties, adhesive tape and mounting screws

<b>Ports</b>	<b>Options</b>
<b>1</b> = 1 Port	<b>(Blank)</b> = N/A
<b>2</b> = 2 Ports*	<b>M</b> = Magnets
<b>4</b> = 4 Ports*	
<b>6</b> = 6 Ports*	
	<b>Colour</b>
	<b>01</b> = Black
	<b>02</b> = White
	<b>20</b> = Ivory
	<b>80</b> = Light Ivory



\* Includes designation labels and label covers

Also for use with single-port flat and duplex LC adapter modules and TERA outlets.

## MAX Surface Mount Boxes

Field-assembled surface mount boxes with MAX® bezels. Recommended for use with flat MAX Category 5e and Category 6 outlets, as well as MAX surface mount blank inserts. Flat single port MAX modules ordered separately.

MX-SM(X)-(XX)-(X) ----- MAX surface mount box with cover base, multimedia bezel, cable ties, adhesive tape and mounting screws

<b>Ports</b>	<b>Options</b>
<b>1</b> = 1 Port	<b>(Blank)</b> = N/A
<b>2</b> = 2 Ports*	<b>M</b> = Optional Magnets
<b>4</b> = 4 Ports*	<b>D</b> = Spring Shutter Doors
<b>6</b> = 6 Ports*	<b>MD</b> = Doors and Magnets
	<b>Color</b>
	<b>01</b> = Black
	<b>02</b> = White
	<b>20</b> = Ivory
	<b>80</b> = Light Ivory



MAX bezels are compatible with all single port, flat MAX outlets. For LC, SC duplex fiber adapters, Z-MAX® and TERA® options, see MX-SM multimedia bezels below.


\* Includes designation labels and label covers

Also for use with single-port flat and duplex LC adapter modules and TERA outlets.

# Ordering Information

## Keystone Surface Mount Boxes

Field-assembled surface mount boxes with keystone compatible bezels. Recommended for use with keystone MAX and Z-MAX outlets. Keystone outlets ordered separately.



\* Includes designation labels and label covers

## MX-SM Multimedia, SC Bezels and Blanks



MX-SMB1-MM-XX) .....  
1-Port multimedia bezel



MX-SMB-MM-XX).....  
2-Port multimedia bezel

MX-SM-BLNK-XX).....  
1-Port blank insert for MAX bezels

Use (XX) to specify colour: 01 = Black, 02 = White, 20 = Ivory, 80 = Light Ivory

\*SC adapters are "universal" to support both Multimode and Singlemode.

Note: Multimedia bezel accommodates Z-MAX, TERA outlets and flat MAX duplex LC adapters. They are also compatible with all other single port flat MAX modules, but require the use of icons to secure modules into bezel.

Because we continuously improve our products, Siemon reserves the right to change specifications and availability without prior notice.

<b>North America</b> P: (1) 860 945 4200	<b>Asia Pacific</b> P: (61) 2 8977 7500	<b>Latin America</b> P: (571) 657 1950/51/52	<b>Europe</b> P: (44) 0 1932 571771	<b>China</b> P: (86) 215385 0303	<b>India Middle East</b> P: (971) 4 3689743
---	--	---	--	-------------------------------------	--

**Siemon Interconnect Solutions**  
P: (1) 860 945 4213  
www.siemon.com/SIS