

TP-Link SOHO Products (Networking)





Wi-Fi Router



Wireless N300+ Routers

N450



TL-WR820N

- 300 Mbps
- 3x Fast Ethernet
- Ports
 - IPv6
 - WPS
 - AP/RE/WISP Mode
 - IPTV
 - Parental Controls
 - QoS



TL-WR840N

- 300 Mbps
- 5x Fast Ethernet Ports
- IPv6
- WPS
- AP/RE/WISP Mode
- IPTV
- Bandwidth Control
- Parental Controls



TL-WR841N

- 300 Mbps
- 5x Fast Ethernet Ports
- IPv6
- WPS
- AP/RE/WISP Mode
- IPTV
- Bandwidth Control
- Parental Controls



TL-WR845N

- 300 Mbps
- 5x Fast Ethernet Ports
- IPv6
- WPS
- AP/RE/WISP Mode
- IPTV
- Bandwidth Control
- Parental Controls



TL-WR940N


- 450 Mbps
- 5x Fast Ethernet
- Ports
 - IPv6
 - WPS
 - Single LED
 - AP/RE Mode
 - IPTV
 - Bandwidth Control
 - Parental Controls



N300



Wi-Fi 5 Routers





AC1200 Wi-Fi Router MU-MIMO Gigabit

Archer C6U



867 Mbps 5 GHz +
300 Mbps 2.4 GHz[†]



Faster Wi-Fi with
MU-MIMO



Full Gigabit
Ports




Easy Sharing
via USB 2.0 Port



It's An Access Point, Too

Switch the working mode of the Archer C6U to Access Point Mode to share your wired network with other wireless devices.



Easy Setup and Management with the Tether APP

The free Tether app is available for both Android and iOS devices, making it easy to set up the Archer C6U and manage your network settings.





Wi-Fi 5 Routers

AC5400

AC4000

AC2600

AC2300

AC1900



Archer C80

- 600 Mbps+1300 Mbps
- 5x Gigabit Ports
- MU-MIMO
- Beamforming
- Airtime Fairness
- Smart Connect
- IPv6
- WPS
- AP Mode
- IPTV
- QoS
- Parental Controls



Archer A9

- 600 Mbps+1300 Mbps
- 5x Gigabit Ports
- 1x USB 2.0 Port
- MU-MIMO
- Beamforming
- Airtime Fairness
- Smart Connect
- IPv6
- WPS
- AP Mode
- IPTV
- HomeCare™ (Parental Controls, Antivirus, QoS)
- Smart Home IoT Center (Alexa)



Archer C2300

- 600 Mbps+1733 Mbps
- Dual-Core CPU
- 5x Gigabit Ports
- 1x USB 3.0 Port
- MU-MIMO
- Beamforming
- Smart Connect
- TurboQAM
- IPv6
- WPS
- AP Mode
- IPTV
- HomeCare™ (Parental Controls, Antivirus, QoS)
- Smart Home IoT Center (Alexa)



Archer C4000

- 750 Mbps+1625 Mbps +1625 Mbps
- 1.8 GHz 64bit Dual-Core
- 5x Gigabit Ports
- 1x USB 3.0 Port
- 1x USB 2.0 Port
- MU-MIMO
- Beamforming
- Airtime Fairness
- Smart Connect
- RangeBoost
- Link Aggregation
- Bluetooth 4.1
- VPN Acceleration
- AP Mode
- IPTV



Archer C5400X

- 1000 Mbps + 2167 Mbps + 2167 Mbps
- 1.8 GHz 64bit Quad-Core CPU
- 9x Gigabit Ports
- 2x USB 3.0 Ports
- NitroQAM (1024 QAM)
- MU-MIMO
- Beamforming
- Airtime Fairness
- Smart Connect
- RangeBoost
- Link Aggregation
- Bluetooth 4.1
- VPN Acceleration
- AP Mode
- IPTV
- HomeCare™ (Parental Controls, Antivirus, QoS)
- Smart Home IoT Center (Alexa)



High-Performance Wi-Fi for the Mainstream

Dual Band | Full Gigabit
AC1900 MU-MIMO Wi-Fi Router

Archer C80






Archer C80——Smooth Entertainment with AC1900 Dual Band Wi-Fi

Archer C80's Wi-Fi performance is fully enhanced by 802.11ac Wave2 technology, including MU-MIMO. Smart Connect intelligently connects devices to the best available Wi-Fi band.


MU-MIMO

MU-MIMO technology serves multiple devices at once, reducing wait time, increasing Wi-Fi throughput for every device, and making each stream more efficient.



Vast Wi-Fi Coverage

Four external antennas create strong, clear, dependable Wi-Fi throughout your home. Beamforming detects the location of your connected devices and concentrates the Archer C80's signal towards them to optimize wireless connections.



Smart Connect

Smart Connect unites 2.4 GHz and 5 GHz band into a single Wi-Fi SSID and helps the router automatically switch each device's connection to the best available Wi-Fi band.



Airtime Fairness

Airtime Fairness equally divides attention among all your devices, letting your high-speed devices transfer more data and improving network efficiency and performance.



* VPN Server, Alexa and Mesh will be supported through firmware upgrades.

Specification



	Tri-band		Dual-band										Single-band					
Model	C54000X	C4000	C2300	A9	C80	C7/A7	C60	C1200	C6U	C6/A6	C50/A5	C20	TL-WR940N	TL-WR845N	TL-WR841N	TL-WR840N	TL-WR844N	TL-WR820N
Version	3.0	3.0	2.0	6.0	1.0	5.0	3.0	3.0 / 2.0	1.0	2.0	4.20	5.0	6.0	4.0	14.0	6.20	1.0	2.0
Wi-Fi Class	AC54000	AC4000	AC2300	AC1900	AC1900	AC1750	AC1350	AC1200	AC1200	AC1200	AC1200	AC750	N450	N300	N300	N300	N300	N300
Wi-Fi (2.4 G)	1000 Mbps	750 Mbps	600 Mbps	600 Mbps	600 Mbps	450 Mbps	450 Mbps	300 Mbps	300 Mbps	300 Mbps	300 Mbps	300 Mbps	450 Mbps	300 Mbps	300 Mbps	300 Mbps	300 Mbps	300 Mbps
Wi-Fi (5 G)	2× 2167 Mbps	2× 1625 Mbps	1733 Mbps	1300 Mbps	1300 Mbps	1300 Mbps	867 Mbps	867 Mbps	867 Mbps	867 Mbps	867 Mbps	433 Mbps	N/A	N/A	N/A	N/A	N/A	N/A
CPU	1.8 GHz Dual-Core	1.8 GHz Dual-Core	Dual-Core			1.2 GHz												
Ethernet Ports	8× GE	5× GE	5× GE	5× GE	5× GE	5× GE	5× FE	5× GE	5× GE	5× GE	5× FE	5× FE	5× FE	5× FE	5× FE	5× FE	3× FE	
USB Port	2× USB 3.0 (2× Type A)	1× 3.0+1×2.0	1× 3.0	1× 2.0	N/A	1× 2.0	N/A	1× 2.0	1× 2.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Antenna	8	6	4	4	4	3	5	3	4	4	4	3	3	3	2	2	2	
MU-MIMO	3×3	3×3	4×4	3X3	3X3	-	2×2	-	2×2	2×2	-	-	-	-	-	-	-	
Beamforming	●	●	●	●	●	-	●	●	●	●	-	-	-	-	-	-	-	
HomeCare™	●	●	●	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Parental Controls	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
NitroQAM™	●	●	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4-Stream	-	-	●	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tether App	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
AP Mode	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
WPS Button	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
IPTV	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
IPv6	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Alexa	●	●	●	●	●	● ¹	●	-	-	● ¹	-	-	-	-	-	-	-	

1. Alexa will be supported through firmware upgrades.



Wi-Fi 6 Routers

AX11000

AX6600

AX6000

AX5400

AX3000

AX1800

AX1500



- Archer AX10**
- 300 Mbps+1201 Mbps
 - 1.5 GHz Tri-Core CPU
 - NitroQAM (1024 QAM)
 - OFDMA
 - Beamforming
 - Airtime Fairness
 - Smart Home IoT Center (Alexa)



- Archer AX20**
- 574 Mbps+1201 Mbps
 - 1.5 GHz Quad-Core CPU
 - 1x Type A USB 2.0 Port
 - NitroQAM (1024 QAM)
 - OFDMA
 - Beamforming
 - Airtime Fairness
 - HomeCare™ (Parental Controls, Antivirus, QoS)
 - Smart Home IoT Center (Alexa)



- Archer AX50**
- 574 Mbps+2402 Mbps
 - Dual-Core CPU
 - 1x Type A USB 3.0 Port
 - HT160
 - NitroQAM (1024 QAM)
 - OFDMA
 - Beamforming
 - Airtime Fairness
 - HomeCare™ (Parental Controls, Antivirus, QoS)
 - Smart Home IoT Center (Alexa)




Archer AX6000

- 1148 Mbps+4804 Mbps
- 1.8 GHz Quad-Core CPU
- 2.5 Gbps WAN Port
- 1x Type A USB 3.0 Port
- 1x Type C USB 3.0 Port
- HT160
- NitroQAM (1024 QAM)
- OFDMA
- Bluetooth Onboarding Support
- MU-MIMO
- Beamforming
- Airtime Fairness
- Link Aggregation
- Bluetooth
- VPN Server
- AP Mode
- IPTV
- Game Accelerator
- Game Protector (Antivirus, Parental Control)
- Game Dashboard
- Smart Home IoT Center(Alexa)
- GeForce NOW™ QoS



Archer AX11000

- 1148 Mbps+4804 Mbps + 4804 Mbps
- 1.8 GHz Quad-Core CPU
- 1x 2.5 Gbps WAN/LAN Port, 8x Gigabit LAN Ports
- 1x Type A USB 3.0 Port, 1x Type C USB 3.0 Port
- HT160
- NitroQAM (1024 QAM)
- OFDMA
- Bluetooth Onboarding Support
- MU-MIMO
- Beamforming
- Airtime Fairness
- Link Aggregation
- Bluetooth
- VPN Sever
- AP Mode
- IPTV
- Game Accelerator
- Game Protector (Antivirus, Parental Control)
- Game Dashboard
- Smart Home IoT Center(Alexa)
- GeForce NOW™ QoS



Specification




	Tri-Band	Dual-Band			
Model	Archer AX11000	Archer AX6000	Archer AX50	Archer AX20	Archer AX10
Version	1.0	1.0	1.0	1.0	1.0
Speed Class	4+4+4	4+4	2+2	2+2	2+2
Wi-Fi (2.4 GHz)	1148 (HT40 ax)	1148 (HT40 ax)	574 (HT40 ax)	574 (HT40 ax)	300 (HT40 11n)
Wi-Fi (5 GHz)	4804+4804 (HT160 ax+HT160 ax)	4804 (HT160 ax)	2402 (HT160 ax)	1201 (HT80 ax)	1201 (HT80 ax)
1024QAM	●	●	●	●	●
Antennas	8	8	4	4	4
WAN Port	1× 2.5G/2G/1G/100M Port	1 2.5G/2G/1G/100M Port	1 10/100/1000 Port	1 10/100/1000 Port	1 10/100/1000 Port
LAN Ports	8 10/100/1000 Ports	4 10/100/1000 Ports	4 10/100/1000 Ports	4 10/100/1000 Ports	
USB Port	2× USB 3.0 (1× Type A + 1× Type C)	2× USB 3.0 (1× Type A + 1× Type C)	1× USB 3.0	1× USB 2.0	-
MU-MIMO	●	●	-	-	-
DL/UL OFDMA	●	●	●	●	●
Beamforming	●	●	●	●	●
Smart Connect	●	●	●	●	●
OneMesh™ ¹	●	●	●	●	●
WPA3 ¹	●	●	●	●	●
HomeShield	●	-	-	●	●
HomeCare™	●	●	●	-	-
Parental Control	●	●	●	●	●
QoS	●	●	●	●	●
Speed Test	●	●	-	●	-
Works with Alexa	●	●	●	●	●
AP Mode	●	●	●	●	●
IPTV	●	●	●	●	●
IPv6 Support	●	●	●	●	●
Tether App	●	●	●	●	●

1. OneMesh™ and WPA3: OneMesh and WPA3 will be supported through firmware upgrades after shipment.

Triple-Core CPU Powered Wi-Fi 6 Stable Next-Gen Performance

AX1500 Wi-Fi 6 Router

Archer AX10



Faster AX Wi-Fi
Next-Gen faster Wi-Fi speeds up to 1.5 Gbps

Ultra-Low Latency
Enjoy smooth streaming and gaming with lower latency by AX tech

Connect More Devices
More simultaneous connections and higher average throughput with OFDMA

Responsive Processing
1.5 GHz Triple-Core CPU

Full Gigabit Ports
Take full advantages of broadband speeds up to 1 Gbps




Archer AX10—AX1500 Gigabit Wi-Fi 6 Router




Speed Beyond Gigabit

The latest 1024-QAM and higher symbol rate combine to boost speeds for newer devices to the Gigabit level. Connect to a 1 Gbps Wi-Fi network with your phone or laptop, and enjoy speeds comparable to plugging in an Ethernet cable.



Connect Dozens of Devices

Add more Wi-Fi devices without dragging down performance. OFDMA allows multiple devices to use one single band at the same time, enabling your Wi-Fi to bear more devices compared to the same speed level Wi-Fi 5 router.



Less Lag, More Fun

Wi-Fi 6 efficiently transmits data, enabling data packets for different applications to share one broadcast and cut the latency. Enjoy flawless video, better gaming speeds, and instantaneous video loading on different devices—all at the same time.



Triple-Core Processor

A 1.5 GHz triple-core CPU provides overwhelming power to tackle huge amounts of data transferring. Enjoy instant response when you click the play button for online playback and get better quality for the online video chatting.

Traditional 2x2 AC Router

0.9 GHz

Single-Core CPU

Archer AX10

1.5 GHz

Triple-Core CPU

Quad-Core CPU Powered Dual Band Wi-Fi 6 Router

AX1800 Dual Band Wi-Fi 6 Router
Archer AX20



Faster AX Wi-Fi

Next-Gen faster Wi-Fi speeds up to 1.8 Gbps



Connect More, Stay Fast

OFDMA provides 4x greater capacity for more simultaneous connections



Powerful Processing

1.5 GHz Quad-Core CPU



Save Clients' Power

TWT helps mobile devices consume less power to prolong battery life



Improved Security—WPA3™

The latest security enhancements provides enhanced protection in personal password safety





Archer AX20 — AX1800 Dual Band Wi-Fi 6 Router

Wi-Fi 6 Connects More Device

AX= 4-Streams AX Wi-Fi

Enjoy a fast and stable network with speeds up to 1.8 Gbps.



4x Increased Capacity

OFDMA improves network performance to add devices without dragging performance.



Save Clients' Power

TWT helps mobile devices consume less power to prolong battery life.



Smooth Streaming

Enjoy smooth streaming and gaming with lower latency by AX OFDMA tech.


Boosted Coverage

Four high-gain antennas and Beamforming transmit Wi-Fi signals to every corner of your home and concentrate signals strength towards connected devices. Wi-Fi 6 adjusts the bandwidth of sub-channels, making signals clearer and ensuring larger coverage.



Powerful Quad-Core CPU

A 1.5 GHz Quad-Core CPU provides the processing ability to handle enormous data throughput and minimizes the lag within your home network, giving you a smooth experience.



HomeCare™ Pro — Let the Expert Secure Your Home

Customize your home network with enhanced security using a kit of features built in TP-Link HomeCare™ Pro. Whether protecting your sensitive data or limiting the access of kids and guests, HomeCare™ Pro provides you the tools you need to fully manage your network.



Real-Time IoT Protection



Powerful Antivirus



Robust Parental Controls



Comprehensive Reports

The Next Wave of Home Connectivity

AX3000 Gigabit Wi-Fi 6 Router
Archer AX50

 **Next-Gen Gigabit Wi-Fi**

Speed up to 3 Gbps

 **Connect More Devices**

OFDMA

 **Intel® Home Wi-Fi Chipset**

Wi-Fi 6 Gig+ Performance

 **Maximized Coverage**

Beamforming

 **Premium Wired Performance**

Gigabit Ports and USB 3.0



Archer AX50—AX3000 Gigabit Wi-Fi 6 Router



Blazingly Fast Gig+ Speed

Featuring a 160 MHz bandwidth and 1024-QAM, Archer AX50 delivers true gigabit speeds of up to 3 Gbps. Powered by Intel® Home Wi-Fi WAV654 chipset for a full-featured Wi-Fi 6 AX3000 router, to pair perfectly with new Intel® Wi-Fi 6 Gig+ PCs and laptops, allowing numerous bandwidth-intensive tasks to run smoothly at the same time.

867 Mbps

Standard AC 2x2 - 80 MHz Channel

1201 Mbps

Wi-Fi 6 2x2 - 80 MHz Channel

2402 Mbps (Archer AX50)

Intel Wi-Fi 6 Gig+ Speed -160 MHz Channel

3x Faster



Reliable Connections for up to 256 Devices

Archer AX50 future-proofs your home networks by providing 4x greater capacity to connect more devices. Advanced technologies, such as OFDMA and MU-MIMO, quadruple the connection capacity in high-density scenarios compared to standard 802.11ac routers.



Lower Latency, Greater Experience.

Wi-Fi 6 brings stable and responsive Wi-Fi connections to tomorrow's hyperconnected homes. Enjoy more responsive gaming and seamless video conferencing even when multiple compatible device are connected and transmitting data at the same time.



HomeCare™ for Secure Wi-Fi

Create a customized Wi-Fi network with enhanced security using TP-Link HomeCare™.



Robust Parental Controls

Block inappropriate content and restrict time spent online



Built-In Antivirus

Protect all connected devices in your home from online threats



Quality of Service

Prioritize devices and applications for faster performance when needed



Whole Home Mesh Wi-Fi

Superior Mesh WiFi

Whole Home Mesh Wi-Fi System



Overview

AC2200
AC1200
+AV1000
AC1300
AC1200



Deco E3

- E4R + M3W
- AC1200 Whole Home Mesh Wi-Fi System
- 2 Ethernet Ports
- TP-Link Mesh Technology
- Router / AP Mode
- IPv6
- Alexa Supported
- Router + Wall-Plug Extender
- 2-pack / 1-pack



Deco E4

- E4R × 2
- AC1200 Whole Home Mesh Wi-Fi System
- 2 Ethernet Ports / pcs
- TP-Link Mesh Technology
- Ethernet Backhaul Supported
- Router / AP Mode
- IPv6
- Alexa Supported
- 3-pack / 2-pack / 1-pack



Deco M3

- M4R + M3W
- AC1200 Whole Home Mesh Wi-Fi System
- 2 Gigabit Ports
- TP-Link Mesh Technology
- Ethernet Backhaul
- Router / AP Mode
- IPv6
- Alexa Supported
- Router + Wall-Plug Extender
- 3-pack / 2-pack / 1-pack



Deco M4

- M4R × 3
- AC1200 Whole Home Mesh Wi-Fi System
- 2 Gigabit Ports / pcs
- TP-Link Mesh Technology
- Ethernet Backhaul
- Router / AP Mode
- IPv6
- Alexa Supported
- 3-pack / 2-pack / 1-pack



Deco S4

- S4R × 3
- AC1200 Whole Home Mesh Wi-Fi System
- 2 Gigabit Ports / pcs
- TP-Link Mesh Technology
- Ethernet Backhaul
- Router / AP Mode
- IPv6
- Alexa Supported
- 3-pack / 2-pack / 1-pack



Deco P9

- P9 × 3
- AC1200 Whole Home Hybrid Mesh Wi-Fi System
- AV1000 Powerline
- 2 Gigabit Ports / pcs
- TP-Link Mesh Technology
- Wi-Fi + PLC Backhaul

Supported

- Ethernet Backhaul Supported
- Router / AP Mode
- IPv6
- Alexa Supported
- 3-pack / 2-pack



Deco M9 Plus

- M9 Plus × 2
- AC2200 Smart Home Mesh Wi-Fi System
- Smart Hub
- 2 Gigabit Ports / pcs
- USB 2.0(Reserved)
- Tri-Band Wi-Fi
- Dedicated Backhaul
- Bluetooth 4.2
- ZigBee HA 1.2
- TP-Link HomeCare™
- TP-Link Mesh Technology
- Ethernet Backhaul
- Router / AP Mode
- IPv6
- Alexa Supported
- 3-pack / 2-pack / 1-pack





AC1200 Whole Home Mesh Wi-Fi System

Deco S4



Wi-Fi Dead-Zone
Killer



Seamless
Roaming



Connects up to
100 Devices



Two Modes
in One



Easy
Setup



Parental
Controls



Works with All
Deco Models

Powerline + Mesh Wi-Fi Whole Home Hybrid Mesh Wi-Fi System

Deco P9



Whole Home Coverage

Wi-Fi coverage up to 6000 sq. ft. for 3-pack



Signal Through Walls

AC1200 Wi-Fi + AV1000 Powerline Hybrid Mesh



Capable to Connect Massive Devices

Supports over 100 devices



Seamless Roaming with One Wi-Fi Name

TP-Link Mesh Technology




Compatible with
amazon alexa






Deco P9——Mesh Wi-Fi with Powerline

With powerline, there is no more walls or distance limits. Enjoy home Wi-Fi everywhere!



Works Through Walls

Powerline uses electrical wiring to create stronger connections between Deco units, reducing the impact of walls and other obstacles on signal



Boosted Speeds



Deco P9——Fast. Stable. Everywhere.



TP-Link Mesh Technology

Deco P9 delivers a whole home wireless coverage up to 6.000 sq. ft.*, which can be expanded easily by adding more Decos. TP-Link mesh technology provides extremely fast and smooth experience when you are roaming in home. Just say goodbye to network interruption and buffering.



Parental Controls

Manage contents and control when each device can access the internet. Block inappropriate websites and applications for kids. Set bedtime and manage kids' online hours.

User Profile

Profile	Device	Content
Pre-Teen	Phone	Adult Content, Gambling
Teen	Phone	Adult Content, Gambling

Time Limits

Teen: Time Limits (0 h - 8 h), Bed time (09:00PM - 06:00AM)


Insights

Date	Activity	Hours
Today	Facebook	3 hours
Today	LinkedIn	1 hours
Yesterday	Amazon	0.2 hours
Yesterday	Kickstarter	0.1 hours



Compatible with All Deco

Deco P9 is compatible with every other Deco model to form a Mesh network. Expand Mesh Wi-Fi coverage anytime by simply adding more Decos.



Simple and Smart

With Deco App, it is a breeze to setup and manage the network. Hardware is compatible to work with Amazon Alexa.

Compatible with
amazon alexa



* Coverage can be affected by different home environment



OneMesh™

OneMesh™

Flexibly Create a Whole-Home Wi-Fi


Without replacing your existing devices or buying a whole new Wi-Fi ecosystem, OneMesh™ helps you create a more flexible and cost-effective network that covers your entire home with TP-Link's OneMesh™ products.



OneMesh™—Flexible and Cost-Effective Whole Home Mesh Wi-Fi

Easily Create a Mesh Network with Your Existing Devices

TP-Link OneMesh™ provides a cost-effective Mesh network for everyone. If you already have a OneMesh router, all you need to do is update your existing TP-Link router's firmware to OneMesh version—no need to replace it, and add one or more OneMesh extenders to eliminate Wi-Fi dead zones and enjoy whole home Mesh Wi-Fi.




Eliminate Wi-Fi Dead Spots

OneMesh™ boosts signal strength while maintaining a single Wi-Fi network that covers every corner of your home. No more searching around for a stronger signal for faster connection.




Seamless Wi-Fi with Just One Network Name

OneMesh™ intelligently connects mobile devices to your router or extenders, whichever provides the best connection. The OneMesh™ router and extenders share a single Wi-Fi name so you stay connected to your network in every room.



Easy Centralized Management

Manage your whole-home Wi-Fi simply by managing the central node via the Tether app or Web UI. Easily adjust and customize wireless settings, including network name, password and so on for your entire Wi-Fi network.





OneMesh™ — Models

WiFi 6 routers	AC routers	Range Extenders	Powerline Adapters	3G/4G LTE routers
Archer AX6000	Archer C6	RE200	WPA4220	Archer MR200
Archer AX10	Archer C6U	RE205	WPA4220 KIT	Archer MR400
Archer AX20	Archer A6	RE300		Archer MR600
	Archer C2300	RE305		
	Archer C7	RE450		
	Archer C60	RE650		
	Archer C80			
	Archer A8			



Range Extender

Roadmap of Wi-Fi 5 Range Extenders

AC2600

AC1750

AC1200

AC750

RE200

- AC750 Dual-Band Wi-Fi
- 1 Fast Ethernet port
- 3 Internal Antennas
- TP-Link OneMesh™
- AP Mode
- Tether App

RE205

- AC750 Dual-Band Wi-Fi
- 1 Fast Ethernet port
- 2 External Antennas
- TP-Link OneMesh™
- AP Mode
- Tether App

RE300

- AC1200 Dual-Band Wi-Fi
- 2 Internal Antennas
- TP-Link OneMesh™
- Tether App

RE305

- AC1200 Dual-Band Wi-Fi
- 1 Fast Ethernet port
- 2 External Antennas
- TP-Link OneMesh™
- AP Mode
- Tether App



RE450

- AC1750 Dual-Band Wi-Fi
- 1 Gigabit Port
- 3 External Antennas
- TP-Link OneMesh™
- AP Mode
- Tether App



RE505X

- AX1500 Dual Band Wi-Fi
- 300 Mbps 2.4G+1201 Mbps 5G
- 1 Gigabit Port
- 2 External Antennas
- TP-Link OneMesh™
- MU-MIMO
- Beamforming
- AP Mode
- Tether APP



RE650

- AC2600 Dual-Band Wi-Fi
- 4-Stream
- 1 Gigabit Port
- 4 External Antennas
- TP-Link OneMesh™
- 4x4 MU-MIMO
- Beamforming
- AP Mode
- Tether App



Dual Band



Single Band



Fast Ethernet Port



Gigabit Ethernet Port



Roadmap of Wireless N Range Extenders



TL-WA854RE



TL-WA850RE



TL-WA855RE



TL-WA860RE

N300

- 300Mbps Wi-Fi on 2.4GHz
- 2 Internal Antennas
- Tether App

- 300Mbps Wi-Fi on 2.4GHz
- 1 Fast Ethernet port
- 2 Internal Antennas
- AP Mode
- Tether App

- 300Mbps Wi-Fi on 2.4GHz
- 1 Fast Ethernet port
- 2 External Antennas
- AP Mode
- Tether App

- 300Mbps Wi-Fi on 2.4GHz
- 1 Fast Ethernet port
- 2 External Antennas
- AC Pass-through
- AP Mode
- Tether App



Dual Band



Single Band



Fast Ethernet Port



Gigabit Ethernet Port



Powerline



Overview

AV1000

AV600
+N300

AV600



TL-PA4010 KIT

- HomePlug AV2
- 1+1 Ethernet ports
- Miniature Design



TL-PA4010P KIT

- HomePlug AV2
- 1+1 Ethernet ports
- Power Socket



TL-WPA4220 KIT

- 300 Mbps Wi-Fi
- HomePlug AV2
- Wi-Fi Auto-sync
- 2+1 Ethernet ports
- 1-pack EU, UK, US

Available
3-pack EU, UK
Available



TL-PA7017 KIT

TL-PA7017P KIT

- HomePlug AV2
- 1+1 Gigabit ports
- Miniature Design

- HomePlug AV2
- 1+1 Gigabit ports
- Power Socket

(Dual Band

(Single Band

(Fast Ethernet Port

(Gigabit Ethernet Port



Extend Reliable Gigabit Network through Electrical Wiring — TL-PA7017 KIT

AV1000 Gigabit Powerline Starter Kit



TL-PA7017 KIT



HomePlug AV2 Standard

High-Speed data transfer rates of up to 1000 Mbps



Gigabit Port

Provide fast and secure wired network



Plug and Play

Set up your powerline network in minutes




Patented Power - Saving Mode

Reduce power consumption by up to 85%

High-Speed Wired Connection

Using advanced HomePlug AV2 technology, TL-PA7017 KIT ensures stable and high-speed wired connection, providing data transmissions of up to 1000 Mbps* over the electrical wiring for ranges up to 300 meters without drilling wall.




Gigabit Port

With one Gigabit Ethernet port, TL-PA7017 KIT allows users to connect a bandwidth intensive device to the Internet at high speeds and ensures the smooth transmission of Ultra HD video streaming.




Plug and Play

Connect a powerline adapter to the router, plug another powerline adapter into a wall socket in another room, and you're done!



Patented Power - Saving Mode

With its practical design and sophisticated Power-Saving Mode, TL-PA7017 KIT will automatically switch from its regular "Working" mode to "Power-Saving" mode reducing its energy consumption by up to 85%*



*Actual data will vary in different network conditions and environments.



3G/4G Router



Overview

	TL-MR3020	TL-MR3420	TL-MR100	TL-MR150	TL-MR6400	Archer MR200	Archer MR400 Archer MR600
AC1200							
AC750							
N300	<ul style="list-style-type: none">PortableUSB 2.03G/4G Router/AP/WISP	<ul style="list-style-type: none">4FE LAN+1FE WANUSB 2.0	<ul style="list-style-type: none">Cat4 150/50 MbpsFDD: B1/B3/B5/B7/B8/B20TDD: B38/B40/B41No 2G1 FE LAN+1FE WAN/LANDetachable LTE antennas	<ul style="list-style-type: none">Cat4 150/50 MbpsFDD: B1/B3/B7/B8/B20TDD: B38/B40/B41No 2G3FE LAN+1FE WAN/LANDetachable LTE antennas	<ul style="list-style-type: none">Cat4 150/50 MbpsFDD: B1/B3/B7/B8/B20TDD: B38/B40/B41No 2G3FE LAN+1FE WAN/LANDetachable LTE antennas	<ul style="list-style-type: none">Cat4 150/50 MbpsFDD: B1/B3/B7/B8/B20TDD: B38/B40/B41No 2G3FE LAN+1FE WAN/LANDetachable LTE antennasMU-MIMO/BeamformingOneMesh™	<ul style="list-style-type: none">Cat6 300/50 MbpsFDD: B1/B3/B5/B7/B8/B20/B28TDD: B38/B40/B41No 2G3GE LAN+1GE WAN/LANDetachable LTE antennasOneMesh™





TL-MR100—4G LTE Router




TL-MR100

- 4G** 4G (TDD & FDD) / 3G Compatible
- (•)** 300 Mbps Wireless Speed
- Wi-Fi** Supports Up to 32 Devices

Superfast 4G LTE Speed

The TL-MR100 uses 4G LTE technology to achieve speeds of up to 150 Mbps download and 50 Mbps upload. It also shares a Wi-Fi network with maximum speed of up to 300 Mbps on 2.4 GHz.



Supports Up to 32 Devices

Easily share a 3G/4G connection. Connect up to 32 wireless devices with ease while ensuring dependent network stability.



Plug and Play, no Installation

Plug a SIM card to get start, no configuration needed. Share your 4G Connections for multiple devices




Maximum Wi-Fi Coverage

Advanced LTE antennas make efficient and stable connections to every devices. Power Amplifier and Low Noise Amplifier boost sending and receiving capabilities, creating a wide-coverage Wi-Fi.



Available WAN Connection Backup

With a fully functional WAN/LAN port, TL-MR100 can work as a router which is compatible with cable, fiber and DSL modems.



Parental Controls

Whether you want to block websites, set time limits, see which sites your kids are using or pause the internet, you can do it all.





Adapter




Wireless USB Adapter





High Gain Wireless USB Adapter



TL-WN822N

- 300 Mbps
- High Gain
- External antennas
- USB Cable



Archer T2U Plus
Archer T600U Plus

- 650 Mbps
- High Gain
- External antenna



Archer T3U Plus

- 1300 Mbps
- High Gain
- MU-MIMO
- USB 3.0
- External antennas



Archer T4U

- 1300 Mbps
- High Gain
- MU-MIMO
- USB 3.0
- External antennas



Archer T4U Plus

- 1300 Mbps
- High Gain
- MU-MIMO
- USB 3.0
- External antennas



Archer T9UH

- 1900 Mbps
- High Gain
- USB 3.0
- Beamforming
- USB Cradle
- External antennas

(●) 2.4 GHz or 5 GHz

(○) 2.4 GHz



Wireless PCIe Adapter





Tapo





Mini Smart Wi-Fi Socket

Model: Tapo P100

Live Smarter



Remote Control



Schedule & Timer



Voice Control




Easy setup



Away Mode



Device Sharing





Home Security Wi-Fi Camera

Model: Tapo C100

Secure. Smart. Easy.



1080p
High-Definition



Night Vision
(up to 30 ft)



microSD Card Slot
(up to 128 GB)



Privacy
Mode





Pan/Tilt Home Security Wi-Fi Camera

Model: Tapo C200

Secure, Smart, Easy.



1080p
High-Definition



Night Vision
(up to 30 ft)



microSD Card Slot
(up to 128 GB)



Privacy
Mode



Thanks for watching

